

Corrigendum to the previous list uploaded on 30.04.2012

NATIONAL CENTRE FOR DISEASE CONTROL

Subject: List/ status of equipments (as per stores record) fulfilling CIC guidelines issued vide MOH &FW letter No. Z-28015/162/2011-H dated 28.11.2011 as below:

- i) Equipments procured on or after 01.04.2007 &**
- ii) Equipments costing more than Rs. 1 lakh.**

A. Equipments purchased by NCDC

S. No.	Equipment Name & No. of the same available in the department	Date of Purchase & average/predicted life of the equipment as per manufacturing Co. (purchased on or after 01.04.2007)	Amount Spend (in Rs.) (Equipment costing > Rs. 1 Lakh)	Recommended frequency for maintenance (Yearly, Half Yearly, Qtrly, Monthly)	Date of first maintenance/ Check, Officer supervising	Status of Equipment (Good, Fair, Replaceable, should not be used)
1	Water purification system (Millipore) -1 No.	September, 2009	> Rs. 1 Lakh	Under AMC/CMC	Lab Incharge through HOD (CA&RD)	Good
2	Table Top Centrifuge (Nuve) - 1 No	September, 2007	> Rs. 1 Lakh	Not under AMC/CMC	Lab Incharge through HOD (CA&RD)	Good
3	Centrifuges Bench Top (Nuve) - 2 Nos.	April, 2007	> Rs. 1 Lakh	Not under AMC/CMC	Lab Incharge through HOD (Micro.)	Good
4	Centrifuge NF 800 Bench Top (Nuve) - 1 No	September, 2007	> Rs. 1 Lakh	Not under AMC/CMC	Lab Incharge through HOD (Micro.)	Good
5	Autoclave (Sanco) - 1 No.	August, 2010	> Rs. 1 Lakh	Under Warranty	Lab Incharge through HOD (Micro.)	Good
6	PCR Thermal Cycler 9700 (ABI) - 1 No.	March, 2010	> Rs. 1 Lakh	Not under AMC/CMC	Lab Incharge through HOD (Micro.)	Good

S. No.	Equipment Name & No. of the same available in the department	Date of Purchase & average/predicted life of the equipment as per manufacturing Co. (purchased on or after 01.04.2007)	Amount Spend (in Rs.) (Equipment costing > Rs. 1 Lakh)	Recommended frequency for maintenance (Yearly, Half Yearly, Qtrly, Monthly)	Date of first maintenance/ Check, Officer supervising	Status of Equipment (Good, Fair, Replaceable, should not be used)
7	BOD Incubator, 6 Cu. Ft. - 2 No.	July, 2012	> Rs. 1 Lakh	Under warranty	Lab Incharge through HOD (Micro.)	Good
8	Centrifuge Refrigerated Tabl Top NF800R (Nuve) -2 Nos.	April, 2007	> Rs. 1 Lakh	Not under AMC/CMC	Lab Incharge through HOD (Bio)	Good (under shifting)
9	Centrifuge NF 800 Bench Top (Nuve) - 2 Nos	September, 2007	> Rs. 1 Lakh	Not under AMC/CMC	Lab Incharge through HOD (Bio)	Good (under shifting)
10	PCR Thermal Cyler 9700 (ABI) - 1 No.	March, 2010	> Rs. 1 Lakh	Not under AMC/CMC	Lab Incharge through HOD (Bio)	Good (under shifting)
11	Alphaimager HP Gel Documentation System - 1 No.	March, 2012	> Rs. 1 Lakh	Under warranty	Lab Incharge through HOD (Bio)	Good (under shifting)
12	Alphaimager HP Gel Documentation System - 1 No.	March, 2012	> Rs. 1 Lakh	Under warranty	Lab Incharge through HOD (Zoon.)	Good (under shifting)
13	Centrifuge Refrigerated (Table-top) - 3 Nos.	April, 2007	> Rs. 1 Lakh	Not under AMC/CMC	Lab Incharge through HOD (Zoon.)	under shifting
14	Elisa Reader with built-in printer (Bio-rad) - 1 No.	May, 2008	> Rs. 1 Lakh	Not under AMC/CMC	Lab Incharge through HOD (Zoon.)	Good (under shifting)
15	Auotmated Microplate Absorber ELISA Reader - 1 set	October, 2008	> Rs. 1 Lakh	Not under AMC/CMC	Lab Incharge through HOD (Zoon.)	Good (under shifting)
16	Water purification system (Millipore) - 1 No.	September, 2009	> Rs. 1 Lakh	AMC/CMC	Lab Incharge through HOD (Zoon.)	under shifting

S. No.	Equipment Name & No. of the same available in the department	Date of Purchase & average/predicted life of the equipment as per manufacturing Co. (purchased on or after 01.04.2007)	Amount Spend (in Rs.) (Equipment costing > Rs. 1 Lakh)	Recommended frequency for maintenance (Yearly, Half Yearly, Qtrly, Monthly)	Date of first maintenance/ Check, Officer supervising	Status of Equipment (Good, Fair, Replaceable, should not be used)
17	PCR Thermal Cycler 9700 (ABI) - 1 No.	March, 2010	> Rs. 1 Lakh	Not under AMC/CMC	Lab Incharge through HOD (Zoon.)	Good (under shifting)
18	Dewinter Trinocular Research Microscope with photographic attachment Model; Premium - 1 No.	January, 2012	> Rs. 1 Lakh	Under warranty	Lab Incharge through HOD (Zoon.)	Good
19	Dewinter Trinocular Inverted Epi Flourscent Trinocular Microscope Model; Victory FL - 1 No.	January, 2012	> Rs. 1 Lakh	Under warranty	Lab Incharge through HOD (Zoon.)	Good
20	BOD Incubator, 6 Cu. Ft. - 1 No.	July, 2012	> Rs. 1 Lakh	Under warranty	Lab Incharge through HOD (Zoon.)	Good (under shifting)
21	Centrifuge Refrigerated Table Top (Nuve) - 1 No.	April,/07	> Rs. 1 Lakh	Not under AMC/CMC	Lab Incharge through HOD (CME&VM)	Good
22	ELISA Reader with built in printer (Bio-rad) - 1 No.	July, 2008	> Rs. 1 Lakh	Not under AMC/CMC	Lab Incharge through HOD (CME&VM)	Good
23	Dewinter Trinocular Inverted Epi Flours-cent Trinocular Tissue Culture Microscope Model; Victory FL - 1 No.	January, 2012	> Rs. 1 Lakh	Under Warranty	Lab Incharge through HOD (CME&VM)	Good

S. No.	Equipment Name & No. of the same available in the department	Date of Purchase & average/predicted life of the equipment as per manufacturing Co. (purchased on or after 01.04.2007)	Amount Spend (in Rs.) (Equipment costing > Rs. 1 Lakh)	Recommended frequency for maintenance (Yearly, Half Yearly, Qtrly, Monthly)	Date of first maintenance/ Check, Officer supervising	Status of Equipment (Good, Fair, Replaceable, should not be used)
24	Projector (Hitachi) - 1 No.	March, 2009	> Rs. 1 Lakh	AMC/CMC	Lab Incharge through HOD (Epid)	Good
25	ELISA Reader System Mod. 680 With Battery – 1 No.	May, 2008	> Rs. 1 Lakh	AMC/CMC	Officer I/c, Jagdalpur thru HOD (Epid)	Good
26	Photocopier (Toshiba e-studio 352/452) – 1 No.	July, 2009	> Rs. 1 Lakh	AMC/CMC	PS to Director	Good
27	Colour Laserjet printer 5550Dn – 1 No.	July, 2009	> Rs. 1 Lakh	AMC/CMC	PS to Director	Good
28	Finisher for Copier (e-studio 352/452) – 1 No.	October, 2009	> Rs. 1 Lakh	Not under AMC/CMC	PS to Director	Good
29	Color Photocopier Canon, IR-ADV C2020H - 1 No.	March, 2012	> Rs. 1 Lakh	Not under AMC/CMC	PS to Director	Good
30	Electronic Barrier for main gate (Proteco make) – 1 set (2 Nos)	June, 2008	> Rs. 1 Lakh	Not under AMC/CMC	Incharge, General Section	Good
31	Electronic Digital Postal Franking Machine – 1 No.	January, 2012	> Rs. 1 Lakh	Not under AMC/CMC	Incharge, General Section	Good

B. Equipments procured by DGHS for AI Lab of IDSP (under World Bank Funding)

S. No.	Equipment Name & No. of the same available in the department	Date of Purchase & average/predicted life of the equipment as per manufacturing Co. (purchased on or after 01.04.2007)	Amount Spend (in Rs.) (Equipment costing > Rs. 1 Lakh)	Recommended frequency for maintenance (Yearly, Half Yearly, Qtrly, Monthly)	Date of first maintenance/ Check, Officer supervising	Status of Equipment (Good, Fair, Replaceable, should not be used)
32	3130 xl Fully automated 16 Capillary DNA Sequencer (ABI) – 1 No.	September, 2008 (IDSP)	> Rs. 1 Lakh	Not under AMC/CMC	AI Lab of IDSP through HOD (Bio)	Good (under shifting)
33	7900 HT RT PCR Fast Online Pathogen (ABI) – 1 No.	March, 2008 (IDSP)	> Rs. 1 Lakh	Not under AMC/CMC	AI Lab of IDSP through HOD (Bio)	Good (under shifting)
34	UV Visible Spectrophotometer – 1 No.	January, 2012 (IDSP)	> Rs. 1 Lakh	Under warranty	AI Lab of IDSP through HOD (Micro)	Good
35	Biosafety Cabinet Class II (Nuve) – 1 No.	March, 2008 (IDSP)	> Rs. 1 Lakh	Not under AMC/CMC	AI Lab of IDSP through HOD (Bio)	Good (under shifting)
36	Biosafety Cabinet Class II (Nuve) – 1 No.	March, 2008 (IDSP)	> Rs. 1 Lakh	Not under AMC/CMC	AI Lab of IDSP through HOD (Micro.)	Good
37	High Speed Referigerated Centrifuge – 2 Nos.	March, 2012 (IDSP)	> Rs. 1 Lakh	Under warranty	AI Lab of IDSP through HOD (Micro.)	Good
38	Step One Real Time PCR Machine (ABI) – 1 No.	March, 2008 (IDSP)	> Rs. 1 Lakh	Not under AMC/CMC	AI Lab of IDSP through HOD (Micro.)	Good
39	CO2 Incubator (Innova) – 2 Nos.	February, 2008 (IDSP)	> Rs. 1 Lakh	Not under AMC/CMC	AI Lab of IDSP through HOD (Micro.)	Good

S. No.	Equipment Name & No. of the same available in the department	Date of Purchase & average/predicted life of the equipment as per manufacturing Co. (purchased on or after 01.04.2007)	Amount Spend (in Rs.) (Equipment costing > Rs. 1 Lakh)	Recommended frequency for maintenance (Yearly, Half Yearly, Qtrly, Monthly)	Date of first maintenance/ Check, Officer supervising	Status of Equipment (Good, Fair, Replaceable, should not be used)
40	Gel Imaging System (Systems & Controls) - 1 No.	January, 2012 (IDSP)	> Rs. 1 Lakh	Under warranty	AI Lab of IDSP through HOD (Micro.)	Good
41	Deep Freezer -85' C (Spencer) - 2 Nos.	February, 2008 (IDSP)	> Rs. 1 Lakh	Not under AMC/CMC	AI Lab of IDSP through HOD (Micro.)	Good
42	Multipurpose High Speed Refrigerated Table top Centrifuge (Sigma) - 1 No.	March, 2010 (IDSP)	> Rs. 1 Lakh	Not under AMC/CMC	Environmental Lab Incharge through HOD (Micro.)	Good
43	Fast PCR Machine (Bioer) - 1 No.	January, 2012 (IDSP)	> Rs. 1 Lakh	Under warranty	AI Lab of IDSP through HOD (Bio.)	Good (under shifting)
44	High Speed Refrigerated Micro Centrifuge - 2 Nos.	August, 2011 (IDSP)	> Rs. 1 Lakh	Under warranty	AI Lab of IDSP through HOD (Micro.)	Good
45	Water Purification System for Molecular Grader Water (ELGA) - 1 No. -	February, 2008 (IDSP)	> Rs. 1 Lakh	Not under AMC/CMC	AI Lab of IDSP through HOD (Micro.)	Good

C. Equipments provided FREE OF COST to NCDC during H1N1 pandemic emergency

(In addition to the equipment purchased by NCDC and IDSP, following equipment were provided FREE OF COST to NCDC and no expenditure incurred on their AMC/CMC till 31st July, 2013)

S. No.	Equipment Name & No. of the same available in the department	Date of Purchase & average/predicted life of the equipment as per manufacturing Co. (purchased on or after 01.04.2007)	Amount Spend (in Rs.) (Equipment costing > Rs. 1 Lakh)	Recommended frequency for maintenance (Yearly, Half Yearly, Qtrly, Monthly)	Date of first maintenance/ Check, Officer supervising	Status of Equipment (Good, Fair, Replaceable, should not be used)
46	7500 Real Time PCR Machine - 1 No.	2009-10	FREE OF COST	Not put under AMC/CMC till date	Virology Lab II through HOD (Micro)	Good
47	Step One Plus Real Time PCR Machine - 1 No.	2009-10	FREE OF COST	Not put under AMC/CMC till date	Virology Lab II through HOD (Micro)	Good
48	ABI Mag Max Express (RNA Extraction) - 1 No.	2009-10	FREE OF COST	Not put under AMC/CMC till date	Virology Lab II through HOD (Micro)	Good
49	Qiacube (RNA Extraction) -1 No.	2009-10	FREE OF COST	Not put under AMC/CMC till date	Virology Lab II through HOD (Micro)	Good
50	Attune Cytometer -1 No.	2009-10	FREE OF COST	Not put under AMC/CMC till date	Lab Incharge through HOD (Bio)	under shifting
51	Veriti PCR Machine -1 No.	2009-10	FREE OF COST	Not put under AMC/CMC till date	Lab Incharge through HOD (Bio)	under shifting

D. Equipment provided Free of Cost through NACO

S. No.	Equipment Name & No. of the same available in the department	Date of Purchase and average/predicted life of the equipment as per manufacturing company <u>(purchased on or after 01.04.2007)</u>	Amount Spend (in Rs.) (Provided through NACO)	Recommended frequency for maintenance (Yearly, Half Yearly, Qtrly, Monthly)	Date of first maintenance/ Check, Officer supervising	Status of Equipment (Good, Fair, Replacable, should not be used)
52	Table Top Centrifuge - 2 Nos.	March, 2008	FREE OF COST	Under CMC	Lab Incharge NRL through HOD (CA&RD)	Good
53	Spectrophotometer, Genesys 10 series - 1 No.	2008	FREE OF COST	Under CMC	Lab Incharge NRL through HOD (CA&RD)	Good
54	FACS Count Machine with work station , refurbished (BD Co.) - 1 No.	December, 2009	FREE OF COST	Under CMC	Lab Incharge NRL through HOD (CA&RD)	Good
55	Elisa Plate Washer - 1 No.	March, 2008	FREE OF COST	Under CMC	Lab Incharge NRL through HOD (CA&RD)	Good
56	Elisa Reader - 1 No.	March, 2008	FREE OF COST	Under CMC	Lab Incharge NRL through HOD (CA&RD)	Good
57	Deep Freezer -70' C - 2 Nos.	March, 2008	FREE OF COST	Under CMC	Lab Incharge NRL through HOD (CA&RD)	Good